

QUANTITATIVE ABILITY - 63 (SOLUTION)

1. (B) $\left[\frac{1}{1 \times 2} + \frac{1}{2 \times 3} + \frac{1}{3 \times 4} + \dots + \frac{1}{99 \times 100} \right]$

$\therefore T_n = \frac{1}{n(n+1)} = \frac{1}{n} - \frac{1}{(n+1)}$ [By partial fraction]

$S_n = \left[1 - \frac{1}{2} \right] + \left[\frac{1}{2} - \frac{1}{3} \right] + \dots + \left[\frac{1}{99} - \frac{1}{100} \right]$

$\therefore S_n = \left[1 - \frac{1}{100} \right] = [\text{first term} + \text{last term}] = \frac{99}{100}$

2. (A) $1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 = 9$

Sum of the digits of 11,11,11,111 = 9, which is divisible by 3.

Also, 11,11,11,111 is not divisible by 11. [difference of the sum of the digits at odd place and even places is not a multiple of 11]

3. (A) Let the 4 numbers are A, B, C and D.

According to question,

$(A + 3) = (B - 3) = (C \times 3) = (D \div 3)$

Let $(A + 3) = (B - 3) = (C \times 3) = (D \div 3) = k$ (say)

Then, $A = (k - 3)$, $B = (k + 3)$, $C = \left(\frac{k}{3}\right)$, $D = 3k$

Also, $A + B + C + D = 64$

$\Rightarrow (k - 3) + (k + 3) + \left(\frac{k}{3}\right) + (3k) = 64$

$\Rightarrow 5k + \frac{k}{3} = 64$

$\Rightarrow 16k = 64 \times 3$

$\Rightarrow k = 12$

1st number = $(k - 3) = 9 = A$

2nd number = $(k + 3) = 15 = B$

3rd number = $\left(\frac{k}{3}\right) = 4 = C$

4th number = $3k = 36 = D$

Required difference = $36 - 4 = 32$

4. (A) Total age of the 4 members of the family, 10 years ago = $24 \times 4 = 96$ years

Present age of 4 members = $96 + 40 = 136$ years

Total age of the 7 members presently = $22 \times 7 = 154$ years

Age of [twins + youngest - child] = $154 - 136 = 18$ years

Let the age of the one of the twins = x years

\therefore Age of the youngest = $(x - 3)$ years

Then,

$2x + (x - 3) = 18$

or, $3x = 21$

$\therefore x = 7$

\therefore Age of children = $(7, 7, 4)$ years

5. (B) Average of 10 numbers = 40.2
 \therefore Sum of 10 numbers = $40.2 \times 10 = 402$
 As per Question,

$$\text{Actual Average} = \frac{402 - 18 + (31 - 13)}{10} = \frac{402 - 18 + 18}{10} = 40.2$$

6. (D) Let Ram's rowing rate is 'x' and speed of current is 'y'.

$$\text{Downstream time taken} = \frac{12}{x + y}$$

$$\text{Upstream time taken} = \frac{12}{x - y}$$

According to the question,

$$\frac{12}{x - y} - \frac{12}{x + y} = 6 \Rightarrow x^2 - y^2 = 4y \text{ ---- (i)}$$

Now, If speed of boat doubles $\Rightarrow 2x$

Time is 1 hour less as compared to upstream,

$$\frac{12}{2x - y} - \frac{12}{2x + y} = 1 \Rightarrow 4x^2 - y^2 = 24y \text{ ---- (ii)}$$

From (i) and (ii) we get,

$$y = \frac{8}{3} = 2\frac{2}{3} \text{ mph}$$

7. (D) Total CP of [25 kg + 35 kg] rice = ₹ (25 × 16.50 + 35 × 24.50)
 = ₹ (412.50 + 857.50) = ₹ 1270
 SP at the rate of 25% profit = ₹ [1270 × 1.25] = ₹ 1587.5
 \therefore Required rate = $\frac{1587.5}{60} \approx ₹ 26.50$ per kg

8. (A) Initial amount of mixture = 8 litres

Oxygen	Nitrogen
= 16%	= 84%
= 1.28 litres	= 6.72 litres

Using by option A, total amount released = 2 litres

So, After first release oxygen = 1.28 - 16% of 2

After second release, oxygen = 9.96 - 0.24 = 0.72 litres (which is 9% of 81)

9. (A) Let Ram and Shyam weights are = 4x and 5x respectively.
 Now,

$$\text{Their previous weight (sum)} = \frac{82.8}{115} \times 100 = 72 \text{ kg}$$

According to question,

$$\Rightarrow 5x + 4x = 72$$

$$\therefore x = 8$$

$$\therefore \text{Ram's weight} = 8 \times 4 = 32 \text{ kg}$$

Shyam's weight = $5 \times 4 = 40$ kg
 Their increased weight = $82.8 - 72 = 10.8$ kg
 Ram's weight = $32 \times 10\% = 3.2$ kg
 Shyam's increased weight = $[10.8 - 3.2] = 7.6$ kg

\therefore % increase = $\frac{7.6}{40} \times 100 = 19\%$

10. (A) Let the cost of one saree = ₹ x and the cost one shirt = ₹ y .

According to question,
 $20x + 4y = 1600$

$\Rightarrow x + 2y = 800$ (i)

and $x + 6y = 1600$ (ii)

on solving equations (i) and (ii), we get

$x = 400; y = 200$

\therefore cost of 12 shirts = $12 \times 200 = ₹ 2400$

11. (C) According to question,

Sohan = $25000 \times (36 \text{ months}) = ₹ 900000$

Aditya = $[15000 \times 30 + 15000 \times 24] = ₹ 810000$

\therefore Profit share of Aditya = $\frac{\text{Sohan}}{\text{Sohan} + \text{Mohan}} \times 247000$

= $\frac{9}{19} \times 247000 = ₹ 1,17,000$

12. (A) 25 men and 15 women complete a piece of work in 12 days.

\therefore Work of 8 days = $\frac{1}{12} \times 8 = \frac{2}{3}$

Remaining work = $1 - \frac{2}{3} = \frac{1}{3}$

Now,

$\frac{1}{3}$ piece of work completed by 25 men in 6 days.

\therefore 1 work can be completed by 25 men in 18 days.

Now,

\therefore Total work done by women = $\frac{1}{12} - \frac{1}{18} = \frac{3-2}{36} = \frac{1}{36} = 36$ days

13. (D) Let the CP of product = ₹ x

\therefore SP = $\frac{80}{100}x$ [after discounted 20%]

Again discount of 6.25%, then new selling price

SP = $\frac{83.75}{100} \times \frac{80}{100} \times x$

According to question,

$x - \frac{83.75}{100} \times \frac{80}{100} \times x = 37.50$

or, $(x - 0.75x) = 37.50$

$\therefore x = \frac{37.5}{0.25} = ₹ 150$

Selling price = $150 - 37.50 = 112.50$

14. (B) Given that,

$$\frac{1}{x+1} + \frac{2}{y+2} + \frac{1009}{z+1009} = 1 \quad \dots (i)$$

Then,

$$\frac{x}{(x+1)} + \frac{y}{(y+2)} + \frac{z}{(1009+z)} \dots (A)$$

Now,

x , y and z are distributed or divided over 1.

$$\therefore x = \frac{1}{3}, y = \frac{1}{3} \text{ and } z = \frac{1}{3} \quad \dots (ii)$$

From equation (i) and (ii), we conclude that,

$$x = 2, y = 4 \text{ and } z = 2 \times 1009 \quad [\text{from equation (i)}]$$


Then the arrangement will divide into three parts.

Now, putting the value of following in equation (A),

$$\Rightarrow \frac{2}{(2+1)} + \frac{4}{(4+2)} + \frac{2 \times 1009}{2 \times 1009 + 1009}$$

$$\Rightarrow \frac{2}{3} + \frac{2}{3} + \frac{2}{3} = 2$$

15. (B)



Given that,

$$\angle AOB = 100^\circ$$

$$\therefore \angle ADB = 50^\circ$$

$$\angle ACB = 50^\circ \quad [\because \text{angle on minor sections}]$$

Now,

$$\angle DAP = 30^\circ \quad (\text{Given})$$

In $\triangle ADP$,


$$\angle A + \angle D + \angle P = 180^\circ$$

$$\therefore \angle P = 180^\circ - 30^\circ - 50^\circ$$

$$\angle P = 100^\circ$$

$$\therefore \angle APB = 180^\circ - 100^\circ = 80^\circ$$

16. (B)



Given that,

$AB = 10 \text{ cm}$

$\therefore AO = [5 \text{ cm}] = \text{radius}$

$AE = 2 \text{ cm}$

$\therefore EO = 3 \text{ cm}$

Construction: Join OD,


In $\triangle OED$,

$OD^2 = OE^2 + DE^2$ [Pythagoras theorem]

or, $25 - 9 = ED^2$

$\therefore ED = 4 \text{ cm}$

17. (A)



$AB = AF + FB$

.... (i)

Now,

$AF = AE = (b - r)$

$BF = BD = (a - r)$

and $AB = c$

Substitute the value of following in equation (i)

$c = (b - r) + (a - r)$

$\therefore r = \frac{a + b - c}{2}$

18. (C) Volume = $\frac{4}{3} \pi [R_1^3 + R_2^3 + R_3^3] = \frac{4}{3} \times 3.14 [1 + 8 + 27]$

$= \frac{4}{3} \times 3.14 \times 36 = 150.72$

25% Reduced = $\frac{75}{100} \times 150.72 = 113.04$


According to question,

$\frac{4}{3} \pi R^3 = 113.04$

$R^3 = 27$

$\therefore R = 3$

19. (C)



Area of region gazed = $\frac{\angle A + \angle B + \angle C}{360^\circ} (\pi R^2) = \frac{180^\circ}{360^\circ} \left[\frac{22}{7} \times 7 \times 7 \right] = 77 \text{ sq. meters}$

20. (D) Let the Radius of sphere = R cm

According to question,

$$4\pi(R+2)^2 - 4\pi R^2 = 704$$

$$\text{or, } 4\pi[R^2 + 4 + 4R - R^2] = 704$$

$$\text{or, } 4\pi[4R + 4] = 704$$

$$\text{or, } 16 \times \frac{22}{7} [1 + R] = 704$$

$$\therefore (R + 1) = \frac{704 \times 7}{16 \times 22} = 14$$

$$(R + 1) = 14$$

$$R = 13 \text{ cm}$$

21. (B) Given that,

$$\tan A - \tan B = x, \text{ and}$$

$$\cot A - \cot B = y, \text{ then } \cot(A - B) = ?$$

$$\Rightarrow \cot(A - B) = \frac{1}{\tan(A - B)} = \frac{1 + \tan A \tan B}{\tan A - \tan B}$$

$$\cot(A - B) = \frac{1 + \tan A \tan B}{x} \dots (i)$$

Now,

$$\frac{1}{\tan A} + \frac{1}{\tan B} = y$$

$$\Rightarrow \frac{\tan A - \tan B}{\tan A \cdot \tan B} = y$$

$$\Rightarrow \frac{-x}{\tan A \cdot \tan B} = \frac{y}{1}$$

$$\therefore \tan A \cdot \tan B = \frac{-x}{y} \dots (ii)$$

From (i) and (ii),

$$\cot(A - B) = \frac{1 - \frac{x}{y}}{x}$$

$$\cot(A - B) = \frac{1}{x} - \frac{1}{y}$$

22. (B) $2\cos\left(\frac{\pi}{13}\right)\cos\left(\frac{9\pi}{13}\right) + \cos\left(\frac{3\pi}{13}\right) + \cos\left(\frac{5\pi}{13}\right)$

$$\text{or, } 2\cos\left(\frac{\pi}{13}\right)\cos\left(\frac{9\pi}{13}\right) + 2\cos\left(\frac{\frac{3\pi}{13} + \frac{5\pi}{13}}{2}\right) + \cos\left(\frac{\frac{5\pi}{13} - \frac{3\pi}{13}}{2}\right)$$

$$\text{or, } 2\cos\left(\frac{\pi}{13}\right)\cos\left(\pi - \frac{4\pi}{13}\right) + 2\cos\left(\frac{4\pi}{13}\right)\cos\left(\frac{\pi}{13}\right)$$

$$\text{or, } -2\cos\left(\frac{\pi}{13}\right)\cos\left(\frac{4\pi}{13}\right) + 2\cos\left(\frac{4\pi}{13}\right)\cos\left(\frac{\pi}{13}\right) = 0$$

$$23. (C) \frac{\cos \theta}{1 + \sin \theta} = \frac{\sin\left(\frac{\pi}{2} - \theta\right)}{1 + \cos\left(\frac{\pi}{2} - \theta\right)} = \frac{2\sin\left(\frac{\pi}{2} - \theta\right)\cos\left(\frac{\pi}{4} - \frac{\theta}{2}\right)}{2\cos^2\left(\frac{\pi}{4} - \frac{\theta}{2}\right)} = \tan\left(\frac{\pi}{4} - \frac{\theta}{2}\right)$$

$$24. (C) \text{ Number of digits required} = \{(9-1)+1\} \times 1 + \{(50-10)+1\} \times 2 \\ = 9 \times 1 + 41 \times 2 = 9 + 82 = 91$$

$$25. (B) \text{ Required height at the 1}^{\text{st}} \text{ bounce} = 32 \times \frac{3}{4}$$

$$\text{Required height at the 2}^{\text{nd}} \text{ bounce} = 32 \times \left(\frac{3}{4}\right)^2$$

$$\text{Required height at the 3}^{\text{rd}} \text{ bounce} = 32 \times \left(\frac{3}{4}\right)^3 = 32 \times \frac{27}{64} = 13\frac{1}{2} \text{ m}$$

$$26. (A) \text{ Average speed during the entire journey} = \frac{\text{Total distance}}{\text{Total time}} = \frac{3584 \text{ km}}{2 \text{ days } 8 \text{ hours}} = \frac{3584 \text{ km}}{56 \text{ hours}}$$

$$= 64 \text{ km/hour}$$

Now, Average speed during the remaining part (last 8 hr.) of journey

$$= \frac{3584 - (1440 + 1608)}{8} \text{ km/hr} = \frac{3584 - 3048}{8} = 67 \text{ km/hr}$$

So, required difference = (67 - 64) km/hr = 3 km/hr more

$$27. (B) \text{ weight of lead per kg in the new alloy} = \frac{3}{(5+4+3)2} = \frac{3}{24} = \frac{1}{8} \text{ kg}$$

$$28. (C) \text{ Let the income of Sanjay two years ago} = ₹ x$$

$$\text{Saving of Sanjay two yrs ago} = 20\% \text{ of } ₹ x = ₹ \frac{x}{5}$$

$$\Rightarrow \text{Expenditure of Sanjay two years ago} = \left(x - \frac{x}{5}\right) = \frac{4}{5}x$$

\Rightarrow Two years later now,

$$\text{Income of Sanjay} = ₹ \frac{120}{100}x = ₹ \frac{6}{5}x$$

$$\text{and saving of Sanjay} = ₹ \frac{x}{5}$$

$$\Rightarrow \text{Expenditure of Sanjay} = ₹ \left(\frac{6}{5}x - \frac{x}{5}\right) = x$$

So,

$$\% \text{ increase in the expenditure} = \frac{x - \frac{4}{5}x}{\frac{4}{5}x} \times 100\% = \frac{x}{4x} \times 100\% = 25\%$$

29. (B) Let the maximum marks = x
 Case (i) Pass marks = 32% of $x + 16$
 Case (ii) Pass marks = 36% of $x - 10$
 From Case (i) and Case (ii), we get,
 $32\% \text{ of } x + 16 = 36\% \text{ of } x - 10$
 or, $4\% \text{ of } x = 26$
 or, $\frac{4}{100} \times x = 26$
 $\Rightarrow x = \frac{26 \times 100}{4} = 650$
 So,
 $\text{Pass}\% = 32\% + \left(\frac{16}{650} \times 100\right)\% = 32\% + 2\frac{6}{13}\% = 34\frac{6}{13}\%$
30. (D) Let the original number of boys and girls be $5x$ and $3x$ respectively and that of new boys and girls be $5y$ and $7y$ respectively.
 $\therefore 5x + 3x + 5y + 7y = 1200$
 $\Rightarrow 2x + 3y = 300 \dots\dots\dots (i)$
 and $\frac{5x + 5y}{3x + 7y} = \frac{7}{5}$
 $\Rightarrow 25x + 25y = 21x + 49y$
 $\Rightarrow 4x = 24y$
 $\Rightarrow x = 6y \dots\dots\dots (ii)$
 From equation (i),
 $4x + 6y = 600$
 $\Rightarrow 5x = 600$
 $\Rightarrow x = 120$
 \therefore Original number of students = $8x = 960$
31. (C) Repaired gain = $2 \times \left(6\frac{1}{4} - 4\right)\% \text{ of } 5000 = 2 \times 2\frac{1}{4}\% \text{ of } 5000$
 $= 2 \times \frac{9}{4 \times 100} \times 5000 = ₹ 225$
32. (C) For the first trader,
 Let the CP of the article = ₹ 100
 \Rightarrow SP = Rs. 120
 Now, For the second trader,
 SP of the article = ₹ 120
 And gain = 20%
 Let the CP be ₹ x .
 $\therefore \frac{120 - x}{120} \times 100 = 20$
 $\therefore 120 - x = 20 \times \frac{6}{5} = 24$

$$\therefore x = 120 - 24 = ₹96$$

$$\therefore \text{Gain} = ₹ 24$$

Now when difference of gains = ₹ 4

$$\text{Then, SP} = ₹ 120$$

So, When the difference = ₹ 85,

$$\text{Then, SP} = \frac{120}{4} \times 85 = ₹ 2550$$

33. (A) Let the marked price of the article = ₹ x

$$\text{Single discount for successive discounts of 30\% and 20\%} = \left(30 + 20 - \frac{30 \times 20}{100} \right) \%$$

$$= (50 - 6)\% = 44\% \text{ discount}$$

According to question,

$$(100 - 44)\% \text{ of } x = 2240$$

$$\Rightarrow \frac{x \times 56}{100} = 2240$$

$$\Rightarrow x = \frac{2240 \times 100}{56} = ₹4000$$

34. (C) $x^2 + 8 \Rightarrow x^3 + 2^3 \Rightarrow (x + 2)(x^2 - 2x + 4)$

$$x^2 + 5x + 6 \Rightarrow (x + 3)(x + 2)$$

$$x^3 + 4x^2 + 4x \Rightarrow x(x^2 + 4x + 4) \Rightarrow x(x + 2)(x + 2)$$

$$\text{L.C.M.} = x(x + 2)^2 (x + 3)(x^2 - 2x + 4)$$

35. (D) Part of tank filled in one hour by inlet pipe = $\frac{1}{12} - \frac{1}{15} = \frac{1}{60}$ part

So, the inlet pipe can fill the tank in 60 hrs.

\therefore Inlet pipe fills water at the rate of 5 litres per minute

$$\Rightarrow \text{Capacity of tank} = (60 \times 60 \times 5) \text{ litres} = 18000 \text{ litres}$$

36. (A) $\theta_1 = \theta_2 = \theta_3 = 0$

$$\therefore \sin \theta_1 + \sin \theta_2 + \sin \theta_3 = 0$$

37. (C) $(y - z) + (z - x) + (x - y) = 0$ [$\because a^3 + b^3 + c^3 = 3abc$ if $a + b + c = 0$]

$$\Rightarrow (y - z)^3 + (z - x)^3 + (x - y)^3 = 3(y - z)(z - x)(x - y)$$

38. (C) $\sin B = \frac{1}{2} = \sin 30^\circ$

$$\Rightarrow B = 30^\circ$$

$$\text{Now, } 3 \cos B - 4 \cos^3 B = 3 \cos 30^\circ - 4 \cos^3 30^\circ$$

$$= 3 \times \frac{\sqrt{3}}{2} - 4 \times \frac{3\sqrt{3}}{8}$$


$$= \frac{3\sqrt{3}}{2} - \frac{2\sqrt{3}}{2} = 0$$

Another method

$$3 \cos B - 4 \cos^3 B = -\cos 3B$$

$$= -\cos 3 \times 30^\circ = -\cos 90^\circ = 0$$

39. (B)



$$\therefore \tan \alpha = \frac{5}{12}$$

$$\Rightarrow \frac{AB}{BP} = \frac{5}{12}$$

$$\Rightarrow \frac{AB}{BC+300} = \frac{5}{12} \text{ ----- (i)}$$

$$\tan B = \frac{3}{4}$$

$$\frac{AB}{BC} = \frac{3}{4} \text{ ----- (ii)}$$

On dividing (i) by (ii), We have

$$\frac{BC}{BC+300} = \frac{5}{12} \times \frac{4}{3} = \frac{5}{9}$$


$$9BC = 5BC + 1500$$

$$BC = \frac{1500}{4} = 375\text{m}$$

$$\text{Height of the pole} = AB = \frac{3}{4} \times BC = \frac{3}{4} \times 375$$


$$= \frac{1125}{4} = 281 \frac{1}{4} \text{ m}$$

40. (A)



$$BD = \sqrt{D^2 + D^2} = \sqrt{2}D$$

$$\text{Required diameter} = \sqrt{2}D - D = (\sqrt{2} - 1)D$$



ABCD is a ||gm whose diagonal $BD = 18\text{cm}$

Let both the diagonals bisect at 'O'.

$$\Rightarrow DO = OB = 9\text{ cm}$$

\therefore DO and BO are medians of $\triangle ADC$ and $\triangle ABC$

Also P and Q are centroids of $\triangle ADC$ and $\triangle ABC$

$$\Rightarrow PO = \frac{1}{3} \times BO \text{ and } QO = \frac{1}{3} \times DO \text{ [centroid of a } \triangle \text{ divides each median in the ratio of } 2 : 1]$$

$$PO = \frac{1}{3} \times 9 \text{ and } QO = \frac{1}{3} \times 9 = 3\text{ cm}$$

$$\Rightarrow PQ = PO + QO = 3 + 3 = 6\text{ cm}$$

42. (C) $AM = MB$

$$\angle AMC = \angle BMD \text{ and } \angle BAD = \angle ABC$$

\therefore ASA Rule

43. (D) $EF \parallel DC$ (Given)

$$\Rightarrow \triangle EGF \sim \triangle CGD \text{ (by AA Similarity)}$$

$$\Rightarrow \frac{EG}{GC} = \frac{EF}{DC}$$

$$\frac{5}{10} = \frac{EF}{18}$$

$$\Rightarrow EF = \frac{18 \times 5}{10} = 9\text{ cm}$$

44. (C) $CF \parallel AB$

$$\Rightarrow \angle BCF = \angle ABC = 85^\circ \text{ (alternate interior angles)}$$

$$\angle BCE = \angle BCF + \angle ECF = 85^\circ + 20^\circ = 105^\circ$$

$$\angle BAD = \angle BCF = 105^\circ \text{ (Angles in the alternate segment)}$$

45. (B) Volume of the wooden block = $5 \times 10 \times 20\text{ cm}^3$

$$\text{Volume of the required solid wooden cube} = 5 \times 10 \times 20 \times x^3\text{ cm}^3$$


(where x^3 is an unknown number)

\therefore Only '8' is the smallest perfect cube

$$\Rightarrow x^3 = 8$$

$$\Rightarrow \text{Number of wooden block} = 8$$

46. (C)



∴ Incentre & circumcentre of an equilateral Δ is same.
let 'a' unit be the side of ΔABC

$$\text{Then } AD = \sqrt{AB^2 - BD^2} = \sqrt{a^2 - \frac{a^2}{4}} = \frac{\sqrt{3}}{2}a$$

∴ $AI : ID : 2 : 1$

$$\Rightarrow AI = \frac{2}{3}AD = \frac{2}{3} \times \frac{\sqrt{3}}{2}a = \frac{a}{\sqrt{3}} \text{ unit.}$$

$$ID = \frac{1}{3}AD = \frac{1}{3} \times \frac{\sqrt{3}}{2}a = \frac{1}{2\sqrt{3}}a \text{ unit.}$$

Now, Area of circumcircle - area of incircle = 44

$$\pi \times \left(\frac{a}{\sqrt{3}}\right)^2 - \pi \times \left(\frac{a}{2\sqrt{3}}\right)^2 = 44$$

$$\Rightarrow \frac{22}{7} \left[\frac{1}{3} - \frac{1}{12} \right] a^2 = 44$$

$$\Rightarrow \frac{22}{7} \left[\frac{4-1}{12} \right] a^2 = 44$$

$$a^2 = \frac{44 \times 12 \times 7}{22 \times 3} = 56$$

$$\text{Area of the } \Delta = \frac{\sqrt{3}}{4} \times a^2 = \frac{\sqrt{3}}{4} \times 56 = 14\sqrt{3} \text{ cm}^2$$

47. (B) Area of quad. ABCD = $\frac{1}{2} \times \text{diagonal} \times (\text{Sum of offsets on the given diagonal})$

$$= \frac{1}{2} \times 16 \times (9+7) = 8 \times 16 = 128 \text{ cm}^2$$

48. (C) Let the number be x.

ATQ,

$$x^2 = 45x - 350$$

Using options, we get $x = 35$

49. (A)

$$\begin{array}{r|l}
 & 889 \\
 8 & 789654 \\
 \hline
 & 64 \\
 8 & 1496 \\
 \hline
 168 & 1344 \\
 8 & \\
 \hline
 1769 & -15254 \\
 \hline
 9 & 15921 \\
 \hline
 & 667
 \end{array}$$

So, 667 must be added to obtain a perfect square.

50. (A)

$$\begin{array}{l}
 A \rightarrow 10 \\
 B \rightarrow 5 \\
 C \rightarrow -20
 \end{array}
 \left. \begin{array}{l} \\ \\ \\ \end{array} \right\} 60 \left. \begin{array}{l} \\ \\ \\ \end{array} \right\} \begin{array}{l} 6 \\ 12 \\ -3 \end{array}$$

Work done by A, B and C in one day = $6 + 12 - 3 = 15$ units

Now, time taken by A, B and C to complete the work = $\frac{60}{15} = 4$ days

51. (A)

Let pipe B takes x hours to fill the tank

Then, pipe A will take $(x + 5)$ hours

ATQ,

$$\frac{1}{x} + \frac{1}{x+5} = \frac{1}{6}$$

On solving, we get $x = 10$ hours

52. (B)

ATQ,

$$\text{S.P. after two successive discounts} = 120 \times \frac{19}{20} \times \frac{19}{20} = 108.3$$

$$\text{Profit} \Rightarrow 12 \frac{13}{16} \% = \frac{41}{320} \rightarrow \text{Profit}$$

$$\text{CP} = 320 + 41 = 361$$

$$\text{CP} = 320$$

Now,

$$361 \text{ units} = 108.3$$

$$\Rightarrow 1 \text{ unit} = \frac{108.3}{361}$$

$$\text{Now, CP} = 320 \text{ units} = \frac{108.3 \times 320}{361} = 96$$

$$\therefore \text{CP of the article} = ₹ 96$$

53. (B)

	Milk	Water
I	5	$3 \rightarrow 8 \times 3 \times 4$
II	2	$1 \rightarrow 3 \times 8 \times 5$
III	7	$5 \rightarrow 12 \times 2 \times 6$

[Multiplied according to their capacity]

Now, ratio of milk and water in the new mixture

$$5 \times 12 + 2 \times 40 + 7 \times 12 : 3 \times 12 + 1 \times 40 + 5 \times 12$$

$$\Rightarrow 60 + 80 + 84 : 36 + 40 + 60 = 28 : 17$$

$$\therefore \text{Ratio of water and milk} = 17 : 28$$

54. (A) Difference in the temperature of Monday and Thursday = $(30 - 27) \times 3 = 9^\circ\text{C}$
Let the temperature of Thursday be $T^\circ\text{C}$

Then, Difference of temperature of Monday and Thursday = $T - \frac{2T}{3} = 9$

$\Rightarrow T = 27^\circ\text{C}$

\therefore Temperature of Thursday = 27°C

55. (A) Abhi Bablu Surbhi

75 100 60

Abhi's goods are 25% costlier than Surbhi's, then

The selling price of the goods of Surbhi = $75 \times \frac{100}{125} = 60$

Required percentage = $\frac{100 - 60}{100} \times 100 = 40\%$

56. (D) Let the quantity sold be x and new price per article be y .
ATQ,

$$\frac{3x}{2} \times y = 250x \times \left(\frac{100 - 17.5}{100}\right)$$

On solving we get, $y = 137.5$

\therefore Reduction in price = $250 - 137.5 = ₹112.5$

57. (B) Difference between simple interest and compound interest for 3 years.

$$= P \left(\frac{r}{100}\right)^2 \left(3 + \frac{r}{100}\right)$$

$$P \left(\frac{1}{8}\right)^2 \left(3 + \frac{1}{8}\right) = 125$$

$$P = \frac{125 \times 8 \times 8 \times 8}{25} = 2560$$

\therefore Principal amount = ₹ 2560

58. (B) ATQ,

$$l + b + h = 25$$

$$\text{and } \sqrt{l^2 + b^2 + h^2} = 15$$

Applying the formula,

$$(l+b+h)^2 = l^2 + b^2 + h^2 + 2(lb + bh + hl)$$

$$\Rightarrow 25^2 = (15)^2 + 2(lb + bh + hl)$$

$$\Rightarrow 625 - 225 = 2(lb + bh + hl)$$

\therefore Surface area of cuboid = 400 cm^2

59. (D) Percentage error = $\frac{\frac{4}{3} - \frac{3}{4}}{\frac{4}{3}} \times 100 = \frac{700}{16} = 43\frac{3}{4}\%$

60. (A) $\sin\theta = \frac{a-b}{a+b}$

Then, $\cos\theta = \frac{2\sqrt{ab}}{a+b}$

$\Rightarrow \frac{1}{\cos\theta} = \frac{a+b}{2\sqrt{ab}}$

Using Componendo and Dividendo, we get

$$\frac{1 + \cos\theta}{1 - \cos\theta} = \frac{(\sqrt{a} + \sqrt{b})^2}{(\sqrt{a} - \sqrt{b})^2}$$

$$\Rightarrow \frac{2\cos^2\frac{\theta}{2}}{2\sin^2\frac{\theta}{2}} = \left(\frac{\sqrt{a} + \sqrt{b}}{\sqrt{a} - \sqrt{b}}\right)^2$$


$$\Rightarrow \cot\frac{\theta}{2} = \frac{\sqrt{a} + \sqrt{b}}{\sqrt{a} - \sqrt{b}}$$

$$\Rightarrow \frac{1}{\tan\frac{\theta}{2}} = \frac{\sqrt{a} + \sqrt{b}}{\sqrt{a} - \sqrt{b}}$$

$$\Rightarrow \frac{1 + \tan\frac{\theta}{2}}{1 - \tan\frac{\theta}{2}} = \frac{\sqrt{a}}{\sqrt{b}}$$

$$\Rightarrow \tan\left(\frac{\pi}{4} + \frac{\theta}{2}\right) = \sqrt{\frac{a}{b}}$$

61. (A)




Length of DC = $\left(\sqrt{3} - \frac{1}{\sqrt{3}}\right)$ units = 40

$$\left(\frac{2}{\sqrt{3}}\right) \text{ units} = 40$$

Then, width of the river

$$BC = \left(\frac{1}{\sqrt{3}}\right) \text{ units} = \frac{40}{2} = 20 \text{ m}$$

62. (B)



Since ABC is equilateral triangle.

Then, $\angle OBE = 30^\circ$

In $\triangle OBE$,

$$BE = OE \cot 30^\circ = 1 \times \sqrt{3} = \sqrt{3}$$

Then, length of AB = EM + BE + AM

$$= 2 + \sqrt{3} + \sqrt{3} = 2 + 2\sqrt{3}$$

$$\text{Now, Area of triangle} = \frac{\sqrt{3}}{4} (2 + 2\sqrt{3})^2 = \frac{\sqrt{3}}{4} \times 4 (4 + 2\sqrt{3})$$

$$= (6 + 4\sqrt{3}) \text{ square units}$$

63. (C) $2R = b$ [\because circumradius is half of hypotenuse of right angled triangle]

and, $2r = a + c - b$


Then,

$$2R + 2r = b + a + c - b = c + a$$

64. (D) We know that

$$\text{ar}(\triangle ODB) = \text{ar}(\triangle OEC)$$

And let $\text{ar}(\triangle BOC)$ be t .



Then,

$$1 \times t = x^2$$

$$t = x^2 \dots\dots\dots (i)$$

Since $\triangle ODE$ is similar to $\triangle OBC$

Then,

$$\frac{3}{4+2x+t} = \frac{1}{t}$$

$$\Rightarrow 3t = 4+2x+t$$

$$\Rightarrow 2t = 2x + 4 \dots\dots\dots (ii)$$

Using (i) and (ii), we get $x = 2$ and $t = 4$

$$\text{Then, ar}(\triangle ABC) = 3 + 1 + 2x + t = 4 + 4 + 4 = 12 \text{ unit}^2$$

65. (A) Given, $3^{\frac{x}{y}+1} - 3^{\frac{x}{y}-1} = 24$

$$\Rightarrow 3^{\frac{x}{y}} \left[3 - \frac{1}{3} \right] = 24$$


$$\Rightarrow 3^{\frac{x}{y}} = 3^2$$

$$\Rightarrow \frac{x}{y} = \frac{2}{1}$$

Using Componendo and Dividendo method,

$$\frac{x+y}{x-y} = \frac{2+1}{2-1} = 3$$

66. (A)




Ratio of the volume of
I and II part = $(8 - 1) : 1 = 7 : 1$

ATQ,

7 parts are emptied in 28 minutes

Then, time taken to empty part 1 = $\frac{28}{7} = 4$ minutes

67. (C)



Let AC be x cm

Given ar $(\Delta ADB) = 15 \text{ cm}^2$

$$\Rightarrow \frac{1}{2} \times BD \times AC = 15$$


$$\Rightarrow BD = \frac{30}{x} \text{ cm}$$

Using angle bisector theorem,

$$\frac{AC}{AB} = \frac{CD}{DB} \quad \Rightarrow \quad \frac{x}{10} = \frac{CD}{\frac{30}{x}}$$

$$\Rightarrow CD = 3 \text{ cm}$$

68. (B)



In $\triangle AOC$,

$$\angle \frac{A}{2} + \angle \frac{C}{2} + \angle AOC = 180^\circ \dots\dots\dots(i)$$

$$\angle AOC = \angle DOF \text{ (vertically opposite angle) } \dots\dots\dots(ii)$$

$$\text{and, } \angle B + \angle DOF = 180^\circ \text{ (B,D,O,F are concyclic) } \dots\dots\dots(iii)$$

From (i), (ii) and (iii), we get,

$$A + C = 2B$$

We know that,

$$A + B + C = 180^\circ$$

$$\Rightarrow 2B + B = 180^\circ$$

$$\Rightarrow \angle B = 60^\circ$$

69. (D) ATQ,

$$\tan 81^\circ - \tan 63^\circ - \tan 27^\circ + \tan 9^\circ$$

$$= \cot 9^\circ - \cot 27^\circ - \tan 27^\circ + \tan 9^\circ$$

$$= (\tan 9^\circ + \cot 9^\circ) - (\tan 27^\circ + \cot 27^\circ)$$

$$= \left(\frac{\sin 9^\circ}{\cos 9^\circ} + \frac{\cos 9^\circ}{\sin 9^\circ} \right) - \left(\frac{\sin 27^\circ}{\cos 27^\circ} + \frac{\cos 27^\circ}{\sin 27^\circ} \right)$$

$$= \frac{\sin^2 9^\circ + \cos^2 9^\circ}{\sin 9^\circ \cos 9^\circ} - \frac{\sin^2 27^\circ + \cos^2 27^\circ}{\sin 27^\circ \cos 27^\circ}$$

$$= \frac{2}{\sin 18^\circ} - \frac{2}{\sin 54^\circ} = \frac{2}{\frac{\sqrt{5}-1}{4}} - \frac{2}{\frac{\sqrt{5}+1}{4}} = 4$$

70. (B) Average number of people using mobile service for all the years

$$= \frac{20 + 25 + 10 + 35 + 25}{5} \text{ thousands} = 23000$$

71. (C) Required ratio = 20 : 15 = 4 : 3

72. (A) Required percentage = $\frac{40}{50} \times 100 = 80\%$

73. (A) Required percentage = $\frac{15}{75} \times 100 = 20\%$

74. (D) Average number of people using all the mobile service throughout all the year

$$= \frac{50 + 60 + 40 + 75 + 65}{5} \text{ thousands} = 58000$$

75. (C) $\frac{5}{6} = 0.8\bar{3}$, $\frac{8}{11} = 0.\overline{72}$, $\frac{7}{9} = 0.\bar{7}$, $\frac{15}{17} = 0.88$

\therefore Required order = $\frac{15}{17} > \frac{5}{6} > \frac{7}{9} > \frac{8}{11}$

76. (B) $r = 32$ (given)

$\therefore d = 32 \times 7 = 224$

And, $q = \frac{224}{16} = 14$

dividend = (divisor \times quotient) + remainder

\Rightarrow Dividend = $(224 \times 14) + 32$

\Rightarrow Dividend = 3168

77. (B) Let $P = (x + y)^3 - (x^3 + y^3)$

we know that,

$(a + b)^3 = a^3 + b^3 + 3ab(a + b)$

$\therefore P = x^3 + y^3 + 3xy(x + y) - x^3 - y^3$


$\Rightarrow P = 3xy(x + y)$

\therefore Required factor = $3xy$

78. (A) Time taken by Meenu in doing whole work = $4 \times 3 = 12$ hours


Time taken by Komal in doing whole work = $4 \times 4 = 16$ hours

Time taken by Nisha in doing whole work = $2 \times 3 = 6$ hours



Work done by them together in 1 hour = 15 units

Time taken by them together doing the double work = $\frac{48 \times 2}{15} = \frac{96}{15} = 6\frac{2}{5}$ hours



$\triangle ADN \cong \triangle ABM$

Now,

$$\frac{\text{Area of } \triangle ABM}{\text{Area of } \triangle MNC} = \frac{\frac{1}{2} \times a \times x}{\frac{1}{2} \times (a-x)(a-x)}$$

$\Rightarrow \frac{\text{Area of } \triangle ABM}{\text{Area of } \triangle MNC} = \frac{a \times x}{(a-x)^2} \dots\dots\dots (i)$

$\triangle AMN$ is equilateral triangle

$\therefore AM = MN = y$

In ΔABM ,

$$AM^2 = AB^2 + BM^2$$

$$y^2 = a^2 + x^2 \dots\dots\dots (ii)$$

In ΔMNC

$$MN^2 = NC^2 + MC^2$$

$$y^2 = (a-x)^2 + (a-x)^2$$

$$\Rightarrow y^2 = 2(a-x)^2 \dots\dots\dots (iii)$$

From equation (ii) and (iii), we get

$$a^2 + x^2 = 2(a-x)^2$$

$$\Rightarrow a^2 + x^2 = 2(a-x)^2$$

$$\Rightarrow 2ax = a^2 + x^2 - 2ax$$

$$\Rightarrow 2ax = (a-x)^2$$

$$\frac{\text{Area of } \Delta ABM}{\text{Area of } \Delta MNC} = \frac{ax}{2ax} = \frac{1}{2}$$

\therefore Required ratio = 1 : 2

80. (A) Let the tomatoes produce this year = x^2
and, the tomatoes produce last year = y^2

ATQ,

$$x^2 - y^2 = 143$$

$$\Rightarrow (x-y)(x+y) = 143$$

$$\Rightarrow (x+y)(x-y) = 143 \times 1$$

$$\Rightarrow x+y = 143$$

$$\underline{x-y = 1}$$


$$\Rightarrow 2x = 144$$

$$\Rightarrow x = 72$$

and $y = 71$

\therefore Tomatoes produce this year = $(72)^2 = 5184$

81. (D)



Radius of semi-circle on PQ = $\frac{1}{2}$ PQ

and Radius semi-circle on QR = $\frac{1}{2}$ QR

Area of semi-circle on PQ = $\frac{\pi}{2} \left(\frac{PQ}{2}\right)^2$

$$\Rightarrow 77 = \frac{22}{7 \times 2} \times \frac{PQ^2}{4}$$

$$\Rightarrow PQ = 14 \text{ cm}$$

$$\text{Area of semi-circle on QR} = \frac{\pi}{2} \left(\frac{QR}{2} \right)^2$$

$$\Rightarrow \frac{6336}{7} = \frac{22}{7 \times 2} \times \frac{QR^2}{4}$$

$$QR = 48 \text{ cm}$$

Now, ΔPQR is right angled triangle

$$\therefore PQ^2 + QR^2 = PR^2$$


$$\Rightarrow PR^2 = (14)^2 + (48)^2$$

$$\Rightarrow PR^2 = 256 + 2304$$

$$\Rightarrow PR^2 = 2560$$

$$\therefore \text{Required area} = \frac{\pi}{2} \times \frac{2560}{4} = 320 \pi \text{ cm}^2$$

82. (C)



\therefore AB is the diameter of circle

So, $\angle ACB = 90^\circ$ (angle made in semi-circle)

and $AB \parallel CD$

$$\therefore \angle ACD + \angle BAC = 180^\circ$$

$$\text{and } \angle BAC = \angle BPC = 52^\circ$$

$$\therefore \angle BCD = 180^\circ - 90^\circ - 52^\circ = 38^\circ$$

83. (C) We know that,

$$d = \frac{|Am + Bn + C|}{\sqrt{A^2 + B^2}}$$

$$\therefore \text{Length of perpendicular} = \frac{|15 \times 4 + 8 \times 3 + 18|}{\sqrt{15^2 + 8^2}} = \frac{60 + 24 + 18}{\sqrt{225 + 64}} = \frac{102}{17} = 6 \text{ units}$$

84. (B) Distance travel by first man in 1 hour = 6 km

$$\therefore \text{Time taken by second man to meet first man} = \frac{6}{8-6} = 3 \text{ hours}$$

Total distance travel by first man in $(3 + 1)$ hours = $4 \times 6 = 24$ km

At 2 p.m first man will be 24 km away from the starting point.

and, At 2 pm third man will be 12 km away from the starting point.


$$\therefore \text{Distance between first man and third man} = 24 - 12 = 12 \text{ km}$$

$$\therefore \text{They meet after} = \frac{12}{12+6} = \frac{12}{18} = 40 \text{ minutes}$$

Required time = 2 : 40 pm

So, first man meets to third man at 2 : 40 p.m.

85. (C)



$$\text{Circum-radius of } \triangle ABC \text{ (AD)} = \frac{6}{\sqrt{3}} \text{ cm} = 2\sqrt{3} \text{ cm}$$

$$\text{And, In radius of } \triangle ABC \text{ (DE)} = \frac{6}{2\sqrt{3}} = \sqrt{3} \text{ cm}$$

$$\text{Hence, required difference} = \pi (r_1)^2 - \pi (r_2)^2 = \pi [(2\sqrt{3})^2 - (\sqrt{3})^2]$$

$$= \pi [12 - 3] = 9\pi \text{ cm}^2$$

86. (A) $\cot \theta + \cos \theta = p$

$$\cot \theta - \cos \theta = q$$

Now,

$$p^2 - q^2 = \cot^2 \theta + \cos^2 \theta + 2\cot \theta \cos \theta - \cot^2 \theta - \cos^2 \theta + 2 \cos \theta \cot \theta$$

$$\Rightarrow p^2 - q^2 = 4 \left(\frac{\cos^2 \theta}{\sin \theta} \right) = 4 \left(\frac{1 - \sin^2 \theta}{\sin \theta} \right) = 4(\operatorname{cosec} \theta - \sin \theta)$$

87. (B) $\frac{1}{\operatorname{cosec}^2 \theta} + \frac{\sin^2 \theta (2 \cos^4 \theta - \cos^2 \theta)}{\sin^2 \theta - 2 \sin^4 \theta} = \sin^2 \theta + \frac{\sin^2 \theta \cos^2 \theta (2 \cos^2 \theta - 1)}{\sin^2 \theta (1 - 2 \sin^2 \theta)}$

$$= \sin^2 \theta + \cos^2 \theta = 1$$

88. (B) $a^3 + b^3 + c^3 - 3abc = (a + b + c) (a^2 + b^2 + c^2 - ab - bc - ca)$

$$= \frac{1}{2} (a + b + c) (2a^2 + 2b^2 + 2c^2 - 2ab - 2bc - 2ca)$$


$$= \frac{1}{2} (a + b + c) [(a - b)^2 + (b - c)^2 + (c - a)^2]$$

now,

$$\frac{a^3 + b^3 + c^3 - 3abc}{(a - b)^2 + (b - c)^2 + (c - a)^2}$$

$$= \frac{\frac{(a + b + c)}{2} [(a - b)^2 + (b - c)^2 + (c - a)^2]}{(a - b)^2 + (b - c)^2 + (c - a)^2}$$

$$= \frac{35 + 20 - 15}{2} = 20$$



∴ Ratio of cost price of T.V. and A.C = 4 : 7

So, cost price of A.C. = $\frac{22000}{11} \times 7 = ₹14000$

90. (A) Ratio of their savings = 4 : 1

∴ Savings of Ram and Shyam = $\frac{5000}{5} \times 4$ and $\frac{5000}{5} \times 1 = ₹4000$ and ₹1000

Now,

$2x - 5y = 4000$ (i)

$x - 3y = 1000$ (ii)

Solving equation (i) and (ii), we get

$x = 7000$

Hence, monthly income of Mohan = ₹7000

91. (B) Let total number of article = ₹ x

ATQ,

$\frac{36}{12} \times x + \frac{24}{12} \times x - \frac{27}{12} \times 2x = 90$

⇒ $\frac{60x - 54x}{12} = 90$

⇒ $6x = 90 \times 12$

⇒ $2x = 360$

∴ Total number of articles = 360

92. (B) Let profit = x


CP = 100

ATQ,

$2(100 + x) = 100 + 3x$

⇒ $x = 100$

Profit = 100%



Work done by (A + B + C) in 6 days = (8 + 15 + 14 + 15 + 8 + 21)

∴ Work done in 12 days = 81 × 2 = 162

Now, remaining work = 168 - 162 = 6

Hence, work must be done = $12 + \frac{6}{8} = 12\frac{3}{4}$ days

94. (B) Let the speed of the trains be $3x$ m/s and $4x$ m/s

$$\text{Then, length of each train} = \frac{(3x + 4x) \times 20}{2} = 70x$$

Now,

$$\text{Distance travelled by faster train in 35 seconds} = 35 \times 4x = 140x$$

$$\text{and, } 70x + 700 = 140x$$

$$\Rightarrow 70x = 700$$

$$\text{Length of each train} = 700m$$

95. (A) $\frac{x \times Q \times t}{100} + x = \frac{y \times P \times t}{100} + y$

$$\Rightarrow \frac{(Qx - Py) \times t}{100} = y - x$$

$$\Rightarrow t = \frac{(y - x) \times 100}{Qx - Py}$$

$$\Rightarrow t = \frac{100(x - y)}{Py - Qx}$$

96. (C) Required percentage increase = $\frac{120 - 100}{100} \times 100 = 20\%$

97. (B) Average production at given years = $\frac{100 + 120 + 110 + 140 + 75 + 130}{6}$

$$= \frac{675}{6} = 112.5$$

Hence, required years = 2013, 2015 and 2017

98. (D) Sum of production during odd years = $120 + 140 + 130 = 390$

$$\text{Sum of production during even years} = 100 + 110 + 75 = 285$$

$$\therefore \text{Required difference} = \frac{390}{285} = 1.37 \text{ times}$$

99. (C) Total production in 2013 and 2015 = $120 + 140 = 260$

$$\text{Production in 2017} = 130$$

100. (B) Average production during given years = $\frac{100 + 120 + 110 + 140 + 75 + 130}{6} = 112.5$

$$\therefore \text{Required production} = 113000 \text{ tones}$$

QUANTITATIVE ABILITY - 63 (ANSWER KEY)

- | | | | |
|---------|---------|---------|----------|
| 1. (B) | 26. (A) | 51. (A) | 76. (B) |
| 2. (A) | 27. (B) | 52. (B) | 77. (B) |
| 3. (A) | 28. (C) | 53. (B) | 78. (A) |
| 4. (A) | 29. (B) | 54. (A) | 79. (D) |
| 5. (B) | 30. (D) | 55. (A) | 80. (A) |
| 6. (D) | 31. (C) | 56. (D) | 81. (D) |
| 7. (D) | 32. (C) | 57. (B) | 82. (C) |
| 8. (A) | 33. (A) | 58. (B) | 83. (C) |
| 9. (A) | 34. (C) | 59. (D) | 84. (B) |
| 10. (A) | 35. (D) | 60. (A) | 85. (C) |
| 11. (C) | 36. (A) | 61. (A) | 86. (A) |
| 12. (A) | 37. (C) | 62. (B) | 87. (B) |
| 13. (D) | 38. (C) | 63. (C) | 88. (B) |
| 14. (B) | 39. (B) | 64. (D) | 89. (C) |
| 15. (B) | 40. (A) | 65. (A) | 90. (A) |
| 16. (B) | 41. (B) | 66. (A) | 91. (B) |
| 17. (A) | 42. (C) | 67. (C) | 92. (B) |
| 18. (C) | 43. (D) | 68. (B) | 93. (B) |
| 19. (C) | 44. (C) | 69. (D) | 94. (B) |
| 20. (D) | 45. (B) | 70. (B) | 95. (A) |
| 21. (B) | 46. (C) | 71. (C) | 96. (C) |
| 22. (B) | 47. (B) | 72. (A) | 97. (B) |
| 23. (C) | 48. (C) | 73. (A) | 98. (D) |
| 24. (C) | 49. (A) | 74. (D) | 99. (C) |
| 25. (B) | 50. (A) | 75. (C) | 100. (B) |